

BT-F064

1. Instruction

BT-F series bi-telecentric lens have been specifically designed to fit 35mm format(36×24mm) detectors with very high resolution, such as 11, 16 or 29MPX. This series bi-telecentric lens are also perfectly suitable for 2kpx、4kpx and 6kpx lines can cameras.



Hot line: 400-0651-516 Tel: 029-83262398

Beijing: 010-51296331 Shenzhen: 075-25900740

Contact us for details: 3rd Floor E, 1st Plant, New Urban Science Technology Industry Park, Gaoxin District, Xi'an China 710043

2. System Parameter


Part number		BT-F064	
Mag.(x)		0.561	
Detector type(mm)	35mm w*h	64.3*42.9	
	Line scan	Line -2K (14 μ ·28.672)	52
		Line -4K (7 μ ·28.672)	52
		Line -6K (7 μ ·43.008)	78
F#		16	
Telecentricity Typical(max) (deg.)		<0.04	
W.D. (mm)		180 \pm 3%	
Field Depth (mm)		4	
Distortion Typical(max) (%)		<0.08(0.10)	
Mount		F	
Length (mm)		407.2	
Dian Φ (mm)		100	
Weight (kg)		2.5	

Hot line: 400-0651-516 Tel: 029-83262398

Beijing: 010-51296331 Shenzhen: 075-25900740

Contact us for details: 3rd Floor E, 1st Plant, New Urban Science Technology Industry Park, Gaoxin District, Xi'an China 710043

3. Sketch map



Hot line: 400-0651-516 Tel: 029-83262398

Beijing: 010-51296331 Shenzhen: 075-25900740

Contact us for details: 3rd Floor E, 1st Plant, New Urban Science Technology Industry Park, Gaoxin District, Xi'an China 710043